No.



8300135

## THE UNITED SHATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# Asgrow Seed Company

Chierens, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANTY ARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC, REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

'A2943'

In Testimony Winerest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 31st day of August in the year of our Lord one thousand nine hundred and eighty-four.

In R Block Secretary of Agriculture

llost:

Lexieth H. Wie xx Commissioner Plant Variety Brutection Office

Plant Variety Protection Office Agricultural Marketina Service

UNITED STATES DEPARTME AGRICULTURAL MARK LIVESTOCK, POULTRY, GRA APPLICATION FOR PLANT VARIE INSTRUCTIONS: See Reverse.	CETING SERVICE AIN & SEED DIVISION		No certificate for p be issued unless a has been received (F	completed applica	40-R3822 ction may
1a. TEMPORARY DESIGNATION OF VARIETY	16. VARIETY NAME		FOR OFFI	CIAL USE ONLY	
XP2943	A2943		PV NUMBER	300135	
2. KIND NAME	3. GENUS AND SPE	CIESNAME	FILING DATE	TIME	A.M.
Soybean	Glycine	max	5/20/83	8:30 DATE	PXIMI,
4. FAMILY NAME (BOTANICAL)	5. DATE OF DETER	RMINATION	s 1,000	5/20/83	i
Leguminosae	Septembe	r, 1979	\$ 500.00	7/25/8	1
6. NAME OF APPLICANT(S)	L Code)	and No. or R,F,D, No.,	City, State, and ZIP	8. TELEPHON	
Asgrow Seed Company		ad, Bldg 190	19001	(616) 38	35-6605
9. IF THE NAMED APPLICANT IS NOT A PE ORGANIZATION: (Corporation, partnersh	RSON, FORM OF	10. IF INCORPORAT	ED, GIVE STATE AND	11. DATE OF	
Corporation		Delaware		March 22,	
12. NAME AND MAILING ADDRESS OF APP	LICANT REPRESENTA	TIVE(S), IF ANY, TO S	SERVE IN THIS APPL	ICATION AND RE	ECEIVE
John A. Batcha, 9620-190	0-25, Asgrow S	eed Company, Gu	ıll Road, Bldg	-	azoo,MI 49001
13B. Exhibit B, Novelty Statem  13C. Exhibit C, Objective Descr  13D. Exhibit D, Additional Descr	iption of the Variety cription of the Variet	y. ETY BE SOLD BY VAF			ERTIFIED
SEED? (See Section 83(a). (If "Yes," answer			NO	5.17.0112.07.07	·
LIMITED AS TO NUMBER OF GENERATI		14c. IF "YES," TO 14			
∐ YES ∐ NO		FOUNDATION	REGISTERED	CERTIFIE	D
15a. DID THE APPLICANT(S) FILE FOR PROT name of countries and dates.)  15b. HAVE RIGHTS BEEN GRANTED THIS VA		- 1		X NO (If ") "give name of cor	Tes," give
and dates.)			الما الما	3	
16. DOES THE APPLICANT(S) AGREE TO THE JOURNAL?	E PUBLICATION OF H	IIS/HER (THEIR) NAMI	(S) AND ADDRESS I	N THE OFFICIAL	•
17. The applicant(s) declare(s) that a viable replenished upon request in accordance	sample of basic seed	l of this variety will b	e furnished with the	application and	will be
The undersigned applicant(s) is (are) the variety is distinct, uniform, and stable at 42 of the Plant Variety Act.	e owner(s) of this se	xually reproduced no	vel plant variety, and	d believe(s) that he provisions of	the Section
Applicant(s) is (are) informed that false	e representation here	in can jeopardize pro	ection and result in	penalties.	
april 27 1983		John a	BIGNATURE OF APPL	u .	
**************************************		<i>(</i>	SIGNATURE OF APPI	LICANT)	

#### EXHIBIT A

#### Origin and Breeding History of A2943

1977 - Cross was made at Oxford, Indiana

PARENTS: A1564 \* A3127

- 1977-78 F<sub>1</sub> and F<sub>2</sub> generations grown at Delray Beach, Florida. (winter)
  - 1978 F3 generation grown at Oxford, Indiana. Two-hundred plants selected from bulk population and threshed individually.
  - 1979 Progeny row B77023-B79-03956 was selected for its uniformity, standability and disease resistance. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color.

It was in September, 1979, that B77023-B79-03956 was determined to be a stable and unique line.

1980 - B77023-B79-03956 was entered in the Preliminary II Yield tests conducted at Ames, Iowa, and Oxford, Indiana. It produced uniform stands and was selected for its yield and standability.

B77023-B79-03956 was tested for Phytophthora root rot resistance in the greenhouse in January, 1981, and found resistant to Race 1.

B77023-B79-03956 was assigned the maturity designation X2943.

1981 - X2943 was entered in the Strain S202 Yield tests which were grown at 6 locations including: Ames, Liberty Center, Vinton and Williams, Iowa; Oxford, Indiana; and Shelby, Nebraska.

X2943 was nominated for pilot production and assigned the designation XP2943. Thirty pounds of Breeder seed were produced at Ames, Iowa. This Breeder seed was sent to Delray Beach, Florida, for increase.

1982 - XP2943 was entered in the Variety V203 Yield tests which were grown at 13 locations including: Ames, Bancroft, Belmond, Clarion and Grinnell, Iowa; Dekalb, Merna, Peoria, Piper City and Stonington, Illinois; Shelby and Tekamah, Nebraska; and Oxford, Indiana.

Foundation seed of XP2943 was produced near Perry, Iowa.

XP2943 was nominated for release and full production and assigned the designation A2943.

Exhibit A continued...

CLAUDEA

A2943 is uniform and stable within commercially acceptable limits based on trial observations since its development in 1979. As with other soybean varieties, variants can occur for almost any characteristic during the course of repeated sexual reproduction, with the same being true for offtypes.



jem

#### EXHIBIT B

Novelty Statement concerning A2943 Soybean

To our knowledge the soybean varieties that most closely resemble A2943 are A3127, Beeson and Pella. Characteristics which differentiate A2943 include, but are not necessarily restricted to, the following:

#### 1. Pubescence Color:

```
A2943 = gray
A3127 = tawny
Beeson = gray
Pella = tawny
```

#### 2. Hilum Color:

```
A2943 = Imperfect black
A3127 = Black
Beeson = Imperfect black
Pella = Black
```

#### 3. Podwall Color:

A2943	= -	Tan
A3127	=	Tan
Beeson	=	Brown
Pella	· = ,	Tan

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

### **OBJECTIVE DESCRIPTION OF VARIETY**

SOYREAN (Glycine max L.)

00 / 52/		11	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	
Asgrow Seed Company	XP2943	A2943	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	e)	FOR OFFICIA	L USE ONLY
Kalamazoo, Michigan 49001		PVPO NUMBER	
9620-190-25		8300	135
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described l place a zero in the first box w	below. When the numb hen number is 9 or less	er of significant digits (e.g., 0 9).
1. SEED SHAPE:	$\mathbf{O}$		
2			
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	2 = Soberical Flattened	(L/W ratio > 1.2; L/T ratio	o = <b>&lt;</b> 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		L/T ratio > 1.2; T/W >	
2, SEED COAT COLOR: (Mature Seed)			· · · · · · · · · · · · · · · · · · ·
		(On a stire)	
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specity)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			
1 = Duil ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
1 6 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)			
5 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ack 6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			· ·
1 = Yellow 2 = Green	·		
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
2 1 = Low 2 = High			
			· · · · · · · · · · · · · · · · · · ·
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )			
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	h bronze band below cotyledons ( 'Coker Hampton 266A')	'Woodworth'; 'Tracy')	
10. LEAFLET SHAPE:			
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		

11. LEAF	LET SIZE:	
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF	COLOR:	
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FLOW	ER COLOR:	
2	1 = White 2 = Purple 3 = White with purple throat	
14. POD C	OLOR:	
1	1 = Tan 2 = Brown 3 = Black	
15. PLANT	PUBESCENCE COLOR:	
1	1 = Gray 2 = Brown (Tawny)	·
16. PLANT	TYPES:	
7	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLANT	HABIT:	
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
10 MATIE	RITY GROUP:	
0 5	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	8 = V
19. DISEAS	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
	ERIAL DISEASES:	
0	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
	Bacterial Blight (Pseudomonas glycinea)	
	Wildfire (Pseudomonas tabaci)	
LU:J	AL DISEASES:	
1	Brown Spot (Septoria glycines)	talente marte de la companya del companya de la companya del companya de la compa
<del></del>	Frogeye Leaf Spot (Cercospora sojina)	
0		(Specify)
0	Target Spot (Corynespora cassiicola)	
0	Downy Mildew (Peronospora trifoliorum var. manshurica)	•
1	Powdery Mildew (Microsphaera diffusa)	•
	Brown Stem Rot (Cephalosporium gregatum)	
	Stem Canker (Diaporthe phaseolorum var. caulivora)	

( ) . <b></b>	-Action: (Enter 0 - Not rested; 1 = Susceptible; 2	= Resistant) (Continued)		*
[	DISEASES: (Continued)			
Pod	and Stem Blight (Diaporthe phaseolorum var; sojae)	·		
0 Pur	ole Seed Stain (Cercospora kikuchii)			
O Rhi:	zoctonia Root Rot (Rhizoctonia solani)			
Phys	tophthora Rot <i>(Phytophthora megasperma</i> var. <i>sojae)</i>	<b>!</b>		
2 Race	2 Race 2 1 Race 3	Race 4	Race 6 1 Ra	ce 7
0 Race	8 0 Race 9 Other (Specify)			
VIRAL DIS	SEASES:			
0 Bud	Blight (Tobacco Ringspot Virus)			
0 Yello	ow Mosaic (Bean Yellow Mosaic Virus)			
0 Cowr	pea Mosaic (Cowpea Chlorotic Virus)			
O Pod I	Mottle (Bean Pod Mottle Virus)			
O Seed	Mottle (Soybean Mosaic Virus)			
NEMATOD	E DISEASES:			
Soybe	ean Cyst Nematode (Heterodera glycines)			
1 Race	1 0 Race 2 1 Race 3 1	Race 4 Other I	Specify)	
0 Lance	Nematode (Hoplolaimus Colombus)		•	
O South	ern Root Knot Nematode (Meloidogyne incognita)			
0 North	ern Root Knot Nematode (Meloidogyne Hapla)			
0 Peanu	t Root Knot Nematode <i>(Meloidogyne arenaria)</i>			
0 Renifo	orm Nematode (Rotylenchulus reniformis)			
OTHE	R DISEASE NOT ON FORM (Specify):			
				·
20. PHYSIOLOGIC	AL RESPONSES: {Enter 0 = Not Tested; 1 = Susce	ptible; 2 = Resistant)		
lron Cl	hlorosis on Calcareous Soil			
Other	(Specify)			
21. INSECT REACT	FION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = F	lesistant)		
0 Mexica	n Bean Beetle (Epilachna varivestis)			
0 Potato	Leaf Hopper (Empoasca fabae)			
Other (	Specify)			
22. INDICATE WHI	CH VARIETY MOST CLOSELY RESEMBLES THA	AT SUBMITTED.		<u> </u>
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY	<del></del>
Plant Shape	A3127	Seed Coat Luster	A3127	
Leaf Shape	A3127	Seed Size	A3127	
Leaf Color	Beeson	Seed Shape	HP3700	
Leaf Size	A3127	Seedling Pigmentation	A3127	1
*				

FORM LMGS-470-57 (2-82)

## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT DAYS LODGING		CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO.
	MATURITY S	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oii	SEEDS	SEEDS/ POD
A2943 Submitted	130	1.2	99	7.0	11.8	43.0	18.8	16.2	2.8
A3127 Name of Similar Variety	134	1.5	99	7.3	12.2	42.5	19.0	16.0	2.8

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.